

User Guide: Configure Exchange on Thunderbird for Windows (POP)



Note that POP configuration will download emails from MacMail inbox to your Thunderbird Inbox on your local computer and delete them from MacMail server after 14 days by default.

1. Open **Thunderbird**




2. On the **Welcome Screen** skip the setup by clicking on **Skip this and use my existing email**

Welcome to Thunderbird

Would you like a new email address?


Outlook Test Account

In partnership with several providers, Thunderbird can offer you a new email account. Just fill in your first and last name, or any other words you'd like, in the fields above to get started.


 gandi.net

The search terms used are sent to Mozilla ([Privacy Policy](#)) and to 3rd party email providers gandi.net ([Privacy Policy](#), [Terms of Service](#)) to find available email addresses.


1. Enter **Your name** at Your name:
2. Enter your tsdoe1j@mcmaster.ca at Email address.
3. Enter your **MAC ID password** at Password.
4. Click on **Continue**



5. Wait for the search to complete



6. Under the **Server Hostname** for each **IMAP** and **SMTP** type in **FHSHC.CSU.MCMASTER.CA**
 - a. For **IMAP** select port **995**, and SSL select **SSL/TLS**
 - b. For **SMTP** select port **587**, and SSL select **STARTTLS**
 - c. Change the authentication for both **IMAP** and **SMTP** to **NTLM**
7. Click on **Done** to confirm the settings and save the account



8. Click on the **Account Name** and click on **Get Messages**

